

Report Number: 14-056-0208

Account Number: 11035



www.aleastern.com

A&amp;L Eastern Laboratories, Inc.

7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401 Fax (804) 271-6446

Send To: Terra Renewal LLC  
12812 VALLEY VIEW ST  
SUITE 9  
GARDEN GROVE, CA 92845

Project : COLTON 6  
AZ CERT#0629

Lab Number : 98042  
Sample Id : COLTON 6

## REPORT OF ANALYSIS

Date Sampled: 2/20/2014 11:00:00

Date Received: 02/25/2014 00:00

Date Reported: 02/28/2014

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Total Solids *	84.78	847800	100.0	JM	02/25/2014 13:30	SM-2540G
Moisture *	15.22		100.0	JM	02/25/2014 13:30	SM-2540G
Total Kjeldahl Nitrogen	1.96	19600	10.0	JM	02/26/2014 09:09	SM-4500-NH3C-TKN
Total Phosphorus	1.16	11600	100	KM	02/26/2014 14:54	SW-6010B
Total Potassium	0.34	3430	100	KM	02/26/2014 14:54	SW-6010B
Total Sulfur	0.55	5460	100	KM	02/26/2014 14:54	SW-6010B
Total Calcium	2.87	28700	100	KM	02/26/2014 14:54	SW-6010B
Total Magnesium	0.62	6180	100	KM	02/26/2014 14:54	SW-6010B
Total Sodium	0.10	1030	100	KM	02/26/2014 14:54	SW-6010B
Total Iron		12600	100	KM	02/26/2014 14:54	SW-6010B
Total Aluminum		10200	100	KM	02/26/2014 14:54	SW-6010B
Total Manganese		275	5	KM	02/26/2014 14:54	SW-6010B
Total Copper		284	5	KM	02/26/2014 14:54	SW-6010B
Total Zinc		473	5	KM	02/26/2014 14:54	SW-6010B
Ammonia Nitrogen	0.19	1880	10.0	JM	02/26/2014 09:09	SM-4500-NH3C
Organic N	1.77	17720	10.0		02/26/2014 09:09	CALCULATION
Nitrate+Nitrite-N		1330	2.00	JM	02/26/2014 09:10	SM-4500NO3F
Total Cadmium		<2.0	2.0	KM	02/26/2014 14:54	SW-6010B

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

Debbie Holt

DENALI\_001626

Report Number: 14-056-0208

Account Number: 11035



www.aleastern.com

A&amp;L Eastern Laboratories, Inc.

7621 Whitepine Road Richmond, Virginia 23237 (804) 743-9401 Fax (804) 271-6446

Send To: Terra Renewal LLC  
12812 VALLEY VIEW ST  
SUITE 9  
GARDEN GROVE, CA 92845

Project : COLTON 6  
AZ CERT#0629

Lab Number : 98042

Sample Id : COLTON 6

## REPORT OF ANALYSIS

Date Sampled: 2/20/2014 11:00:00

Date Received: 02/25/2014 00:00

Date Reported: 02/28/2014

PARAMETER	RESULT (%)	RESULT (mg/kg)	QUANTITATION LIMIT (mg/kg*)	ANALYST	ANALYSIS DATE/TIME	METHOD
Total Chromium		65	5	KM	02/26/2014 14:54	SW-6010B
Total Nickel		36	5	KM	02/26/2014 14:54	SW-6010B
Total Lead		29	5	KM	02/26/2014 14:54	SW-6010B
Total Arsenic		4.0	3.0	KM	02/26/2014 14:54	SW-6010B
Total Mercury		0.6	0.4	KM	02/27/2014 09:00	SW-7471A
Total Selenium		<5.0	5.0	KM	02/26/2014 14:54	SW-6010B
Total Molybdenum		5	5	KM	02/26/2014 14:54	SW-6010B

## Comments:

SULFUR NOT FOR COMPLIANCE TESTING.

QUALIFIER: THE LRB WAS OUT OF LIMITS FOR "Mn". THE MATRIX SPIKE WAS OUT OF LIMITS FOR "Fe". ALL OTHER QC DATA IS ACCEPTABLE.

All values are on a dry weight basis except as noted by asterisk. Detection limit on all N series is on a wet basis.

Our reports and letters are for the exclusive and confidential use of our clients, and may not be reproduced in whole or part, nor may any reference be made to the work, the results, or the company in any advertising, news release, or other public announcements without obtaining our prior written authorization.

Debbie Holt

DENALI\_001627